

Remington Arms Company, Inc.
870 Remington Drive
PO Box 700
Madison, NC 27025-0700
(336) 548-8700
800-243-9700

REMINGTON

Arms Company, Inc.

MODEL 41 BOLT ACTION RIFLE

- **Shooting Safety Commandments**
- **Information**
- **Instructions for Operation & Care of Rifle**
- **Components Parts Listing**
- **Value and Reference Book Listing**

NOTE: We are pleased to accommodate your request for the Model 41 Bolt Action Rifle information. The following documentation represents all information available on this model from the Remington Arms Co., Inc.

DO NOT MAKE CHANGES OR ALTERATIONS TO ANY PARTS OF A FIREARM. USE ONLY REMINGTON PARTS. NEVER MAKE AN ADJUSTMENT TO THE TRIGGER, OR CHANGE THE SHAPE OR SIZE OF THE SEAR, SEAR NOTCH, OR OTHER PARTS.

Ten Commandments of Shooting Safety

- 1. Always keep the muzzle pointed in a safe direction.**
- 2. Firearms should be unloaded when not in use.**
- 3. Don't rely on your gun's "safety".**
- 4. Be sure of your target and what is beyond it.**
- 5. Use correct ammunition.**
- 6. If your gun fails to fire when the trigger is pulled, handle with care!**
- 7. Always wear eye and ear protection when shooting.**
- 8. Be sure the barrel is clear of obstructions before shooting.**
- 9. Do not alter or modify your gun, and have guns serviced regularly.**
- 10. Learn the mechanical and handling characteristics of the firearm you are using.**

Operating Instruction for the Purchaser

ASSEMBLE TAKE DOWN—Put barrel and receiver into stock, turn take down screw tightly.

OPEN ACTION—Rotate bolt handle upward and pull fully rearward.

CLOSE ACTION—Push bolt fully forward and rotate bolt handle downward. (This motion does not cock the firing pin.)

LOAD BARREL—Open action, insert cartridge fully into chamber, and close action. A blow against cocking piece will not fire cartridge.

FIRE—Cock rifle by pulling back the knurled firing pin cocking piece at rear end of bolt. Bolt cannot now be opened. Pull trigger to fire.

MAKE SAFE WHEN COCKED—Grasp cocking piece between thumb and fore-finger and rotate to right until safety stands vertical or in the line of sights to serve as a signal and obstruct aim.

REMOVE LOADED CARTRIDGE WHEN FIRING PIN IS COCKED—Bolt cannot be opened when firing pin is cocked, grasp cocking piece firmly, pull trigger while allowing cocking piece to move slowly forward, then open bolt to extract loaded cartridge.

REMOVE BOLT—Open action, hold trigger fully rearward and pull bolt entirely from receiver.

TAKE DOWN BARREL—Unscrew take down screw in fore end until free from barrel, lift barrel and receiver from stock.

BOLT AND HANDLE—Simplified to allow stronger union of bolt with handle securely locked upon it, provides ample strength to permit use of KLEANBORE HI-SPEED or regular KLEANBORE Ammunition with perfect safety.

BARREL AND RECEIVER—Of one piece construction also contributes toward maximum strength and precision.

Remington SINGLE SHOT BOLT ACTION RIFLE

Model **41**
.22 Caliber

Chambered for .22 short, long, or long rifle rim fire cartridges.

This rifle will shoot Hi-speed cartridges with perfect safety.

REMINGTON KLEANBORE Ammunition is recommended for use in this rifle, because where KLEANBORE is used exclusively, the barrel will not rust and will not need cleaning.

Remington Arms Co., Inc.
Ilion, N.Y., U.S.A.

THIS TAG, which has operating instructions on the other side, to be delivered to PURCHASER.


Remington


REMINGTON "TARGETMASTER"


MODEL 41 — BOLT ACTION SINGLE SHOT RIFLE

.22 Caliber Short, Long, and Long Rifle without adjustment; Regular or Hi-Speed

No. 41A Grade — Open Sights



No. 41P Grade — Peep Sights




"TARGETMASTER" is recognized by its performance for the last three years as one of the greatest values ever offered in a .22 caliber single shot rifle. It is an ideal single shot rifle for every member of the family. GIVES OUTSTANDING PERFORMANCE AT A VERY LOW PRICE. The "Targetmaster" is equipped with a heavy, 27 inch round tapered barrel, crowned at muzzle. Very accurate. Man-sized stock and fore-end in one piece. Genuine American. Half pistol grip. Semi-beavertail fore-end. Composition shotgun style butt plate checkered to prevent slipping. Takedown. Automatic ejector. Non-friction bolt. Large bolt handle, scientifically designed. Important safety features including automatic rebounding lock and positive military thumb safety. Length over-all, 44 inches; taken down, 32 1/4 inches. Weight, about 5 1/2 pounds.

1A Grade. Step adjustable sporting rear sight. White metal bead front sight.

1P Grade. Exclusive new Remington peep sights. Receiver peep sight with two interchangeable discs. Adjustable for windage and elevation. Front sight with four interchangeable inserts. Eight sighting combinations are possible.



P GRADE REMINGTON PEEP SIGHT. Adjustable for windage and elevation. Supplied with two interchangeable discs with different sized apertures.



P GRADE HOODED FRONT SIGHT. Supplied with four quickly interchangeable discs. Since two discs are supplied with the rear peep sight, this gives eight sighting combinations.

	Net*	Whole sale**	Retail**
A Grade	\$3.58	\$4.50	\$5.85
P Grade	4.05	5.10	8.40
AS Grade, chambered for .22 Remington Special (W.R.F.) cartridges only	3.58	4.50	5.85
PS Grade, chambered for .22 Remington Special (W.R.F.) cartridges only	4.05	5.10	8.40
Other Sling Strap, Wheel type, with hooks and eyes, extra	1.68	1.95	2.20

Weight per case of ten, 73 pounds

3% TAX INCLUDED
EXCISE TAX OF 10% TO BE ADDED

Firearms Value & Reference Books

NOTE: We do not provide information on firearms' values. You may want to have your firearm appraised by a gunsmith. The following sources may also be helpful. We do not accept responsibility for the goods or services provided by these sources.

Firearms Value Books

Blue Book of Gun Values

Blue Book Publications
8009 34th Avenue South #175
Minneapolis, MN 55425
800-877-GUNS

Flayderman's Guide to Firearm Values

Gun List
Modern Gun Values
Krause Publications
700 East State Street
Iola, WI 54990-0001
847-573-8530

Gun Trader's Guide

Stoeger Publishing Company
5 Mansard Court
Wayne, NJ 07470
973-872-9500

Reference Books

The Remington 700

John Flacy
Brownells, Inc.
200 South Front Street
Montezuma, IA 50171
515-623-5401

Cartridges of the World

Frank C. Barnes
Standard Catalog of Firearms
Krause Publications
700 East State Street
Iola, WI 54990-0001
847-573-8530

Shooter's Bible

Stoeger Publishing Company
5 Mansard Court
Wayne, NJ 07470
973-872-9500

Remington, America's Oldest

Gunmanker
Remington Arms Co.
PO Box 700
Madison, NC 27025
Attention: History Book
800-423-8495

1. The first part of the paper is devoted to a general discussion of the problem of the existence of a solution of the system of equations (1) for arbitrary values of the parameters α and β .

2. In the second part we consider the case of a solution of the system of equations (1) for arbitrary values of the parameters α and β .

3. In the third part we consider the case of a solution of the system of equations (1) for arbitrary values of the parameters α and β .

4. In the fourth part we consider the case of a solution of the system of equations (1) for arbitrary values of the parameters α and β .

5.

6.

7.

8.

9.

10.

11.

12.

13.

14.

15.

16.

17.

18.